

# Voice/Video/Data 9" Plastic Net Media Center Combo


## Package Includes:



- A. 9" Plastic Net Media Center Box, 1 Piece**
- B. Net Media Center Plastic Cover, 1 Piece**
- C. 8-Port Compact Voice With RJ31x, 1 Piece**
- D. 1X6 2 GHz Video Splitter Resi Module, 1 Piece**
- E. 8-Port CAT 6 Data Compact Module, 1 Piece**
- F. #6 x 7/8", Pan Head. Tapping Screw, Phillips, Zinc Plated Steel, 2 Pieces**
- G. #10-24 X 1", Wood Screw, 4 Pieces**
- H. Wiring Location Sheet, 1 Piece**
- I. Installation Instructions, 1 Sheet**

## Features and Benefits

- Designed with high quality durable plastic
- Designed to serve as the central distribution point for voice and video for smaller residential structured wiring systems.
- Allows for internal modules to be mounted horizontally or vertically
- Integrated snap-in module system enables users to quickly insert or move the internal modules
- Includes 3 top, 3 bottom, 4 rear, and 2 side knockouts for routing cables.
- Includes a knockout for an optional AC power outlet (not included) to provide power distribution
- Fits between 16" wall mounting spaces or can be wall mounted.
- Includes one 8-Port telephone Module (ICRESVPA3C), one 2 GHz Video Splitter module (ICRESAV62L), and one 8-Port CAT 6 compact module (ICRESDPB3C)
- Designed with a pad lock option for additional security (pad lock not included)
- ETL listed and complies with TIA-568-C, TIA-570-B, and TIA-607 standards
- Net Media Center enclosures are not designed to be installed in firewall applications
- ETL listed and complies with TIA-568-C, TIA-570-B, and TIA-607 standards
- Cover screw down option






**NOTE: UNLESS OTHERWISE SPECIFIED**

1. Material: ABS, UL 94V-0
2. Color: White
3. Finish: Matte

Part No: ICRESDC9PK  
 Rev: C  
 Page 2 of 2

I 888-ASK-4ICC | [icc.com](http://icc.com) | [csr@icc.com](mailto:csr@icc.com) |





## **NOTE: UNLESS OTHERWISE SPECIFIED**

### **1. 8-Port CAT 6 Data Module (ICRESDPB3C):**

- A. PCB:** Glass Epoxy FR4 Copper Clad,  $t=1.20\text{mm}$
- B. 110 Block:**
  - Housing: PC, UL 94V-0
  - IDC: Phosphorous Bronze, Tin Plated
- C. RJ45 Jack/Socket:**
  - Housing: PBT + 15% Fiber Glass
  - Contact: Phosphorous Bronze,  $50\mu$ " Gold Plated
- D. Wiring in accordance to T568A**




### **2. Locking Button: Material: Nylon 6/6, UL 96V-0**

## **NOTE: UNLESS OTHERWISE SPECIFIED**

### **1. 8-Port Telephone Module with RJ31X Jack (ICRESVPA3C):**

- A. PCB:** Glass Epoxy FR4 Copper Clad,  $t=1.20\text{mm}$
- B. 110 Block:**
  - Housing: PC, UL 94V-0
  - IDC: Phosphorous Bronze, Tin Plated
- C. RJ45 & RJ31X Jack/Socket:**
  - Housing: PBT + 15% Fiber Glass
  - Contact: Phosphorous Bronze,  $50\mu$ " Gold Plated
- D. Wiring in accordance to T568A**

### **2. Locking Button: Material: Nylon 6/6, UL 96V-0**



## **NOTE: UNLESS OTHERWISE SPECIFIED**

### **1. 1X6 Video Splitter (ICRESAVX2L):**




- A. Housing:** Die-Casting with Nickel Plating
- B. Connectors:** F-Type female
- C. Frequency Range:** 5~2300 MHz
- D. Insertion Loss:** 15 dB typical

### **2. Mounting Bracket:**

- A. Material:** 18 GA CRS
- B. Surface Finish:** White Powder Coat

### **3. Locking Button:**

- A. Material:** Nylon 6/6, UL 94V-0



Part No: ICRESDC9PK

Rev: C

Page 3 of 2

I 888-ASK-4ICC icc.com csr@icc.com I

